



SECTION 1 - Indentification

1.1 Identification

Product form : Mixture

Product name : XPEL FUSION PLUS PLASTIC & TRIM

Product code : R1373

Contains 1-chloro-4(trifluoromethyl) benzene, tert-Butyl acetate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Surface protectant / surfacant

1.3 Details of the Supplier of the Safety Data Sheet

XPEL, Inc. 3251 I-35

San Antonio, TX, 78219 T: +1 210-678-3700

1.4 Emergency telephone number

Emergency Number : +1 352-323-3500 (INFOTRAC International)

: +1 800-535-5053 (INFOTRAC)

SECTION 2 - Hazard(s) identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Dermal Category 4 - (H312)
Acute toxicity - Inhalation (Dusts/Mists) Category 4 - (H332)
Chronic aquatic toxicity Category 2 - (H411)
Flammable liquids Category 3 - (H226)

2.2 Label Elements

Product Identifier

Contains 1-chloro-4(trifluoromethyl) benzene, tert-Butyl acetate



Signal word : Warning

Hazard statements : H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H411 - Toxic to aquatic life with long lasting effects

: H226 - Flammable liquid and vapor

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary statements

EU (§28, 1272/2008)

: P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting/equipment

: P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

: P271 - Use only outdoors or in a well-ventilated area

: P273 - Avoid release to the environment

: P280 - Wear protective gloves/protective clothing/eye protection/face protection

: P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower

: P312 - Call a POISON CENTER or doctor if you feel unwell

P363 - Wash contaminated clothing before reuse

: P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

: P312 - Call a POISON CENTER or doctor if you feel unwell

: P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

: P391 - Collect spillage

: P403 + P235 - Store in a well-ventilated place. Keep cool

: P501 - Dispose of contents/ container to an approved waste disposal plant

2.3 Other hazards

No additional information available





SECTION 3 - Composition/Information on ingredients

3.2 Mixtures

1-chlo

| Chemical name | EC No | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH Registration Number | |
|--------------------------------|-------------------------------------|----------|----------|--|------------------------------|--|
| tert-Butyl acetate | Present | 540-88-5 | 30-60 | (EUH066) Flam. Liq. 2 (H225) Acute Tox. 4 (H312) (Self-classification) Acute Tox. 4 (H332) (Self-classification) | Not determined | |
| oro-4(trifluoromethyl) benzene | -4(trifluoromethyl) benzene Present | | 10-40 | (EUH066) Flam. Liq. 2 (H225) Acute Tox. 4 (H312) (Self-classification) Acute Tox. 4 (H332) (Self-classification) | Not determined | |

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4 - First-aid measures

4.1 Description of first-aid measures

Eye Contact Rinse immediately with plenty of water and seek medical advice.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a

poison center or doctor/physician if you feel unwell.

Inhalation Remove individual to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel

unwell.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms Harmful in contact with skin. Harmful if inhaled.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

SECTION 5 - Fire-fighting measures

5.1 Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable extinguishing media : Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Flammable liquid and vapor.

Hazardous combustion products Carbon oxides

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

SECTION 6 - Accidental release measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for Containment Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material),

then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective

equipment.

Methods for Clean-Up Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4 Reference to other sections

See Section 13: DISPOSAL CONSIDERATIONS.





SECTION 7 - Handling and storage

7.1 Precautions for safe handling

Advice on Safe Handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific End Use(s)

Specific Use(s)

Surface protectant/surfactant.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8 - Exposure controls/personal protection

8.1 Control parameters

| on control parameters | | | | | | |
|---|--|---|---|--|---|--|
| Chemical name | European Union | United Kingdom | France | Spain | Germany | |
| tert-Butyl acetate | - | STEL: 250 ppm | TWA: 200 ppm | TWA: 200 ppm | TWA: 20 ppm | |
| 540-88-5 | | STEL: 1210 mg/m3 | TWA: 950 mg/ | TWA: 966 mg/m3 | TWA: 96 mg/m3 | |
| | | TWA: 200 ppm TWA: 966 mg/m3 | m3 | | | |
| 1-chloro-4(trifluoromethyl) benzene 98-56-6 | - | - | - | - | TWA: 1 mg/m3 | |
| Chemical name | Italy | Portugal | Netherlands | Finland | Denmark | |
| tert-Butyl acetate 540-88-5 | - | TWA: 200 ppm | - | TWA: 150 ppm TWA: 720 mg/m3 STEL: 200 ppm STEL: 960 mg/m3 | TWA: 150 ppm TWA: 710 mg/m3 TWA: 50 ppm TWA: 150 mg/m3 | |
| 1-chloro-4(trifluoromethyl) benzene 98-56-6 | - | TWA: 2.5 mg/m3 | - | - | TWA: 2.5 mg/m3 | |
| Chemical name | Austria | Switzerland | Poland | Norway | Ireland | |
| tert-Butyl acetate 540-88-5 | STEL 20 ppm STEL 96 mg/m3 TWA: 20 ppm TWA: 96 mg/m3 TWA: 100 ppm TWA: 480 mg/m3 Ceiling 20 ppm Ceiling 96 mg/m3 Ceiling 100 ppm Ceiling 480 mg/m3 | STEL: 100 ppm STEL: 480 mg/m3 TWA: 50 ppm TWA: 240 mg/m3 | STEL: 900 mg/ m3 TWA: 900 mg/ m3 | TWA: 75 ppm TWA: 355 mg/m3 STEL: 112.5 ppm STEL: 443.75 mg/m3 | TWA: 200 ppm TWA: 950 mg/m3 STEL: 600 ppm | |
| 1-chloro-4(trifluoromethyl) benzene 98-56-6 | - | - | TWA: 2 mg/m3 | - | TWA: 2.5 mg/m3 STEL: 7.5 mg/m3 | |





SECTION 8 - Exposure controls/personal protection

8.2 Appropriate Engineering Controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Personal Protective Equipment

Eye/Face Protection Wear eye/face protection. Hand Protection Wear suitable gloves.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on

known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liauid Appearance : Clear liquid Color : Colorless : Aromatic Odor Odor threshold : Not determined : Not determined Melting point / freezing point : Not determined : 48 °C / 118 °F Boiling point / boiling range Flash point : 55 °C / 131 °F

Evaporation rate : < 1

Flammability (Solid, Gas) : Liquid - Not applicable

Flammability Limit in Air

Upper flammability or explosive limits: Not determined Lower flammability or explosive limits: Not determined Vapor pressure : <0.12 hPa Vapor density : Not determined : Not determined Relative density Water Solubility : Not determined Solubility(ies) : Not determined Partition Coefficient : Not determined Auto-ignition temperature :400 °C / 752 °F Decomposition temperature : Not determined Kinematic Viscosity : 2 mm2/s Dynamic Viscosity : Not determined Explosive properties : Not determined Oxidizing properties : Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Not reactive under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Heat. Incompatible Materials. Sources of ignition. Direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous decomposition products

Carbon oxides.





SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product Information

Inhalation Harmful if inhaled.

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Ingestion Do not ingest.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,573.40 mg/kg ATEmix (dermal) 1,619.671 mg/kg ATEmix (inhalation-dust/mist) 1.5253 mg/L

Unknown Acute Toxicity

Unknown Acute Toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity.

19 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

19 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

59 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 | | |
|-------------------------------------|----------------------|--|--|--|--|
| tert-Butyl acetate | = 4100 mg/kg (Rat) | > 2 g/kg (Rabbit) > 2000 mg/kg (Rabbit) | > 9482 mg/m3 (Rat) 4 h > 2230 mg/m3 (Rat) 4 h | | |
| 1-chloro-4(trifluoromethyl) benzene | = 13 g/kg (Rat) | > 2 mL/kg (Rabbit) | = 33 mg/L (Rat)4 h | | |

Skin corrosion/irritation Not classified. Serious eye damage/eye irritation Not classified Sensitization Not classified. Germ cell mutagenicity Not classified Not classified. Carcinogenicity Reproductive toxicity Not classified. Not classified. STOT - single exposure STOT - repeated exposure Not classified. Not classified. Aspiration hazard

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|-------------------------------------|----------------------|---|------------------------------------|
| tert-Butyl acetate | - | 296 - 362: 96 h Pimephales promelas mg/L LC50 flow- through | |
| 1-chloro-4(trifluoromethyl) benzene | - | 3: 96 h Danio rerio mg/L LC50 semi-static 11.5 - 15.8: 48 h Lepomis macrochirus mg/L LC50 static | 3.68: 48 h Daphnia magna mg/L EC50 |



PLASTIC & TRIM SAFETY DATA SHEET



SECTION 12: Ecological information

12.2 Persistence and degradability

Not determined.

12.3 Bioaccumulative potential

Chemical name Partition coefficient

tert-Butyl acetate 1.38

1-chloro-4(trifluoromethyl) benzene 3.7

12.4 Mobility in soil

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

SECTION 13: Disposal considerations

13.1 Disposal methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

SECTION 14: Transport information

IMDG

14.1 UN number UN1139

14.2 Proper Shipping Name Coating solution

14.3 Transport hazard class(es)14.4 Packing GroupIII

RID

14.1 UN/ID No UN1139

14.2 Proper Shipping Name Coating solution

14.3 Transport hazard class(es)14.4 Packing GroupIII

ADR

14.1 UN number UN1139

14.2 Proper Shipping Name Coating solution

14.3 Transport hazard class(es)14.4 Packing GroupIII

IATA

14.1 UN number UN1139

14.2 Proper Shipping Name Coating solution

14.3 Transport hazard class(es)14.4 Packing GroupIII

SECTION 15: Regulatory information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

National Regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name French RG number Title

tert-Butyl acetate RG 84

540-88-5





SECTION 15: Regulatory information

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

| Chemical name | TSCA | DSL/ NDSL | EINECS/ ELINCS | PICCS | ENCS | IECSC | AICS | KECL |
|--|------|--------------|-------------------|-------|------|-------|------|------|
| tert-Butyl acetate 540-88-5 (0.1-5) | X | X | X | × | X | Χ | X | X |
| 1-chloro-4(trifluoromethyl) benzene 2ene 98-56-6 (0.1-3) | X | X | X | × | X | X | X | × |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2 International regulations

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H225 - Highly flammable liquid and vapour

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H411 - Toxic to aquatic life with long lasting effects





Section 16: OTHER INFORMATION

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification Procedure

Calculation method

Issue Date: 13-Nov-2020

Revision Date: 1-Jan-2023

Revision Note: New format

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2015/830

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet