

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name XPEL Paint Protection Film Sealant

1.2. Other means of identification

SDS # XPEL-006-EU

1.3. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Sealant

1.4. Details of the Supplier of the Safety Data Sheet

Supplier XPEL, Inc.
3251 I-35
San Antonio, TX, 78219
USA

Telephone (General) +1 (210) 678-3700

Email Address support@xpel.com

1.4 Emergency telephone number (24H)

INFOTRAC 1-352-323-3500 (International)

INFOTRAC 1-800-535-5053 (North America)

Section 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No 1272/2008

Skin corrosion/irritation Category 1 - (H304)

Specific target organ toxicity (repeated exposure) Category 1 - (H372)

Chronic aquatic toxicity Category 3 - (H412)

Flammable Liquids Category 3 - (H226)

2.2 Label Elements

Product Identifier Contains Petroleum Distillates, Hydrotreated light, Aliphatic Hydrocarbon Solvent

Signal Word Danger

Hazard statements H304 - May be fatal if swallowed and enters airways

H372 - Causes damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

H226 - Flammable liquid and vapour



Precautionary Statements - EU
(§28, 1272/2008)s

P264	Wash face, hands and any exposed skin thoroughly after handling
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P270	Do not eat, drink or smoke when using this product
P370 + P378	In case of fire: Use carbon dioxide, dry chemical, or alcohol-resistant foam to extinguish
P240	Ground/bond container and receiving equipment
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P405	Store locked up
P501	Dispose of contents/container to industrial incineration plant
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331	Do NOT induce vomiting
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312	Call a POISON CENTER or doctor if you feel unwell

2.3 Other Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 MIXTURES

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Petroleum Distillates, Hydrotreated light	Present	64742-47-8	8-10	Asp. Tox. 1 (H304)	Not determined
Aliphatic Hydrocarbon Solvent	Present	64742-88-7	8-10	STOT RE 1 (H372) Asp. Tox. 1 (H304) Flamm. Liq. 3 (H226) (self-classification)	Not determined

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.
Ingestion	Do NOT induce vomiting. Immediately call a poison center or doctor/physician. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms May be harmful in contact with skin. May cause skin and eye irritation.

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.

Section 5: FIREFIGHTING MEASURES**5.1. Extinguishing Media**

Suitable Extinguishing Media Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising from the Substance or Mixture

Flammable liquid and vapour. Vapors are heavier than air and may travel along ground to ignition sources and flash back. Runoff to sewer may create fire or explosion hazard.

Hazardous Combustion Products Carbon monoxide.

5.3 Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required. Do not release runoff from fire control methods to sewers or waterways.

Section 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For Emergency Responders Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dyke far ahead of liquid spill for later disposal. Water spray may be used to reduce vapors but may not prevent ignition in closed spaces. A vapour suppressing foam may be used to reduce vapours. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.

Methods for Clean-Up Use only non-sparking tools. Sweep up and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE**7.1. Precautions for Safe Handling**

Advice on Safe Handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing and eye/face protection. Keep away from heat/ sparks open flames/hot surfaces. – No smoking. Ground/bond container and receiving equipment. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep cool.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Avoid freezing while in storage. Store locked up.
--------------------	---

7.3. Specific End Use(s)

Specific Use(s)	Sealant.
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control Parameters**

Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
-----------------	---

8.2. Exposure Controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location. Provide adequate ventilation.
----------------------	--

Personal Protective Equipment

Eye/Face Protection	Chemical goggles or full face shield. Use approved safety goggles or safety glasses. If necessary, refer to appropriate regulations and standards.
Hand Protection	Wear impervious gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on Physical and Chemical Properties**

Physical state	Liquid		
Appearance	Light blue liquid	Odour	Sweet
Colour	Light blue	Odour Threshold	No data available

Property	Values	Remarks • Method
pH	8-9	-
Melting point / freezing point	No data available	-
Boiling point / boiling range	187.7-287.7 °C / 370-550 °F	-
Flash point	42 °C / 108 °F	-
Evaporation Rate	No data available	(butyl acetate = 1)
Flammability (Solid, Gas)	No data available	-
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	-
Lower flammability or explosive limits	Not determined	-
Vapour Pressure	< 1 mmHg	@ 25°C (77°F)
Vapour Density	Not determined	(Air=1)
Relative Density	0.9-0.815	at 15.6°C (60°F)
Water Solubility	<1	-
Solubility(ies)	Not determined	-
Partition Coefficient	Not determined	-
Autoignition temperature	216 °C / 420 °F	-
Decomposition temperature	No data available	-
Kinematic viscosity	Not determined	-
Dynamic Viscosity	Not determined	-
Explosive Properties	Not determined	-
Oxidising Properties	Not determined	-

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

Not reactive under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerisation Hazardous polymerisation does not occur.

Possibility of Hazardous Reactions None under normal processing.

10.4. Conditions to Avoid

Keep out of reach of children. Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidising agents. Strong alkalis.

10.6. Hazardous Decomposition Products

Carbon oxides. Fumes.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute toxicity

Product Information

Inhalation Do not inhale.
Eye Contact Avoid contact with eyes.
Skin Contact Avoid contact with skin.
Ingestion May be fatal if swallowed and enters airways.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 40,040.00 mg/kg
ATEmix (dermal) 12,012.00 mg/kg

Unknown Acute Toxicity

20 % of the mixture consists of ingredient(s) of unknown toxicity.
 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
 20 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
 20 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).
 20 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum Distillates, Hydrotreated light	> 5000 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Aliphatic Hydrocarbon Solvent	> 25 mL/kg (Rat)	= 3000 mg/kg (Rabbit)	> 13 mg/L (Rat) 4 h

Skin corrosion/irritation Not classified.
Serious eye damage/eye irritation Not classified.
Sensitisation Not classified.
Germ cell mutagenicity Not classified.
Carcinogenicity Not classified.
Reproductive toxicity Not classified.
STOT - single exposure Not classified.
STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard May be fatal if swallowed and enters airways.

Section 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum Distillates, Hydrotreated light	-	2.2: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	4720: 96 h Den-dronereides heteropoda mg/L LC50
Aliphatic Hydrocarbon Solvent	450: 96 h Pseudokirchneriella subcapitata mg/L EC50	800: 96 h Pimephales promelas mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Not determined.

12.4. Mobility in Soil

Mobility Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

	14.1 UN/ID No.	14.2 Proper Shipping Name	14.3 Hazard class	14.4 Packing Group
IMDG	UN1993	Flammable liquid, n.o.s. (Petroleum distillates)	3	III
RID	UN1993	Flammable liquid, n.o.s. (Petroleum distillates)	3	III
ADR	UN1993	Flammable liquid, n.o.s. (Petroleum distillates)	3	III
IATA	UN1993	Flammable liquid, n.o.s. (Petroleum distillates)	3	III

Section 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Petroleum Distillates, Hydrotreated light 64742-47-8	RG 84	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

International Inventories

Component	TSCA	DSL/NDSL	E I N E C S / ELINCS	PICCS	ENCS	IECSC	AICS	KECL
Petroleum Distillates, Hydrotreated light 64742-47-8 (8-10)	X	X	X	X	-	X	X	Present
Aliphatic Hydrocarbon Solvent 64742-88-7 (8-10)	X	X	X	X	-	X	X	Present

Legend

- TSCA United States Toxic Substances Control Act Section 8(b) Inventory
- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
- PICCS Philippines Inventory of Chemicals and Chemical Substances
- ENCS Japan Existing and New Chemical Substances
- IECSC China Inventory of Existing Chemical Substances
- AICS Australian Inventory of Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

- H304 May be fatal if swallowed and enters airways
- H372 Causes damage to organs through prolonged or repeated exposure if inhaled
- H226 Flammable liquid and vapour

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**Classification Procedure**

Calculation method

Issue Date:	26-Mar-2012
Revision Date:	21-Jun-2023
Revision Note:	New format.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2015/830

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet